

# SAFETY DATA SHEET HOLTS FIREGUM FOR EXHAUSTS

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product name** Firegum For Exhausts

Product number G60900

Internal identification 35LH

**REACH registration notes**This is a MIXTURE; no registration information contained in this document. Holts are classed

as Downstream User.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product. Sealant.

1.3. Details of the supplier of the safety data sheet

Supplier Force Products Ltd

Stock House, Seymour Road Nuneaton, Warwickshire

CV11 4LB

TEL +44 (0)2476322130 FAX +44 (0)2476 322151

Contact Email address: sales@forceproducts.co.uk

Contact person

Manufacturer

1.4. Emergency telephone number

Emergency telephone UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs Out of office hours Tel: 020 7358

9167

National emergency telephone http://echa.europa.eu/en/web/guest/support/helpdesks/national-helpdesks/list-of-national-

**number** helpdesks

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

.

Revision date: 19/08/2015 Revision: 19 Supersedes date: 05/03/2013

## HOLTS FIREGUM FOR EXHAUSTS

**Classification (67/548/EEC or** Xi;R36/38. **1999/45/EC)** 

#### 2.2. Label elements

#### **Pictogram**



Signal word Warning

**Hazard statements** H319 Causes serious eye irritation.

H315 Causes skin irritation.

**Precautionary statements** P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P501 Dispose of contents/container in accordance with local regulations.

#### 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Sodium Silicate solution		60-100%
CAS number: 1344-09-8	EC number: 215-687-4	
Classification Skin Irrit. 2 - H315	Classification (67/548/EEC or 1999/45/EC) Xi;R36/38.	
Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** No specific recommendations. If in doubt, get medical attention promptly.

**Ingestion** DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with

water. Get medical attention immediately.

**Skin contact** Rinse immediately with plenty of water. Get medical attention if any discomfort continues.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

# SECTION 5: Firefighting measures

## HOLTS FIREGUM FOR EXHAUSTS

# 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog.

Dry chemicals, sand, dolomite etc.

#### 5.2. Special hazards arising from the substance or mixture

## 5.3. Advice for firefighters

Methods for cleaning up

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.2. Environmental precautions

#### 6.3. Methods and material for containment and cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush contaminated area with plenty of water.

#### 6.4. Reference to other sections

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

# 7.3. Specific end use(s)

# SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

Ingredient comments WEL = Workplace Exposure Limits

# NON HAZARDOUS INGREDIENTS

Ingredient comments WEL = Workplace Exposure Limits

#### 8.2. Exposure controls

# Protective equipment





Appropriate engineering

controls

No specific ventilation requirements noted, but forced ventilation may still be required if air contamination exceeds acceptable level.

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. EN374 It is recommended that gloves

are made of the following material: Rubber (natural, latex).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Revision date: 19/08/2015 Revision: 19 Supersedes date: 05/03/2013

## HOLTS FIREGUM FOR EXHAUSTS

**Hygiene measures** Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Use appropriate hand lotion to prevent defatting and cracking of skin.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** Paste. Fibrous solid.

Colour Grey.

Odour No characteristic odour.

pH (concentrated solution): 11.5

Flash point not flammable °C

Relative density ~2.5 bulk density @ °C

9.2. Other information

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

## 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Conditions to avoid Avoid contact with acids.

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

Hazardous decomposition

No specific hazardous decomposition products noted.

products

#### SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Inhalation** May cause respiratory system irritation.

**Ingestion** May cause burns in mucous membranes, throat, oesophagus and stomach. May cause

stomach pain or vomiting.

Skin contact Irritating to skin. Prolonged and frequent contact may cause redness and irritation.

**Eye contact** May cause severe eye irritation. Particles in the eyes may cause irritation and smarting.

# **SECTION 12: Ecological Information**

**Ecotoxicity** Not regarded as dangerous for the environment. The product components are not classified

as environmentally hazardous. However, large or frequent spills may have hazardous effects

on the environment.

#### 12.1. Toxicity

# **Toxicity**

## 12.2. Persistence and degradability

# HOLTS FIREGUM FOR EXHAUSTS

#### 12.3. Bioaccumulative potential

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

(EINECS): All of the

ingredients are listed on the EINECS inventory.

CHINA: All of the ingredients of this product are listed on the Inventory of Existing Chemical

Substances in China

(IECSC).

JAPAN: All of the ingredients of this product are listed on the Japanese Ministry of

International Trade and Industry

(MITI).

## HOLTS FIREGUM FOR EXHAUSTS

**EU legislation** Dangerous Substances Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

# 15.2. Chemical safety assessment

# **SECTION 16: Other information**

Revision date 19/08/2015

Revision 19

Supersedes date 05/03/2013

SDS number 11445

Risk phrases in full R36/38 Irritating to eyes and skin.

Hazard statements in full H315 Causes skin irritation.

H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.