MATERIAL SAFETY DATA SHEET

Product Name

METALCLAD CeramAlloy CL+[AC] Blue / Grey Base

Producer	<u>Importer/Distributor</u>
ENECON Corporation	TRYTON DESIGNS LTD t/a ENECON UK
6 Platinum Court	Newport Bridge Road
Medford	Bursledon
NY 11763-2251	Southampton
USA	Hampshire, UK, SO31 8AL
Information tel: ++ 1-516-349.0022	Tel : ++ 44 (0) 2380 405254
Chem-Tel, Inc: ++ 1-813-248.0585	Fax : ++ 44 (0) 2380 402794

1. Identificationof the Substance/Preparation

Trade Name:	METALCLAD CeramAlloy CL+[AC] Blue Base.
	METALCLAD CeramAlloy CL+[AC] Grey Base
Appearance:	Blue or Grey viscous liquid.
Use:	Consult the technical data sheet for detailed information.
	This product is always packed together and delivered with METALCLAD
	CeramAlloy CL+[AC] Activator, and is only used in combination with it.

2. Composition/Information on ingredients

Component Name	Weight	CAS nr / EINECS nr Da	anger Symbol	Risk-Phrase
Bisphenol A diglycidyl Ether Poly	vmer 25-30%	25068-38-6 / -	Xi	38,43
Oral (rat) LD50 [mg/kg]	:>10.000			
Skin (rabbit) LD50 [mg/kg]	:>6.000			
Inhalation LC50	: No data			
Epoxy Phenol Novolac	<5%	28064-14-4 / -	Xi	38,43
Oral (rat) LD50 [mg/kg]	:>10.000			
Skin (rabbit) LD50 [mg/kg]	: 3.000			
Inhalation LC50 [mg/l/4H]	: 1,7			
Silcon Dioxide, crystalline free	<1%	67762-90-7	Т	20
Oral (rat) LD50 [mg/kg]	:>5000			
Skin LD50	:No data			
Inhalation LC50	:Nodata			
Titanium Dioxide	<1%	13463-67-7	Т	20
Oral (rat) LD50 [mg/kg]	:>2400			
Skin (rabbit) LD50 [mg/kg]	:>10000			
Inhalation LC50	:>6.8 mg/l/4hr			
Carcinogenecity:	NTP: Not listed	IARC: Titanium Dioxide 21	B OSHA: N	lot listed

3. Hazards Identification

Most Important Hazards: Prolonged or repeated contact can cause irritation, dermatitis, and sensitisation of skin. Can cause irritation to the eyes.

4. First Aid Measures

First Aid -Breathing:

Remove patient to fresh air. If breathing is difficult, give oxygen and call for medical help.

-Contact with the skin:	Wash with soap and water. Launder contaminated clothing before re-use.
-Contact with the eyes:	Flush the eye(s) with water for 15 minutes. Call for medical help in the event that
-Ingestion:	irritation to the eyes continues after flushing. DO NOT induce vomiting. Get medical attention. Single oral dose toxicity is considered to be very low.

5. Fire-fighting measures

Extinguishing media: Special exposure hazards:	Water fog, CO ₂ , dry chemical, foam. May form carbon dioxide, carbon monoxide and phenolic materials as products of incomplete combustion.
Fire and explosion protection:	In the immediate vicinity of the fire wear self-contained breathing apparatus with positive pressure. Do not enter the fire without a fire protection suit with breathing protection.

6. Accidental release measures

Personal protection:	Wear appropriate protective gear.
Spills/leaks:	Keep out of sewers or drains. Spilled product must be soaked up
	immediately with an absorbent material or the product must be
	scraped up.

7. Handling and Storage

Avoid any contact with skin or eyes.	
Do not eat or drink during use. Wash hands and other exposed skin areas with soap and water after use and eating and drinking must take place away from the work area.	
Store in tightly closed containers in a dry room at normal temperature.	
Contact with strong oxidizers and acids.	
Uncontrolled reactions with amines and bases.	
Before the product is handled, all personnel must be informed of all	
relevant safety and health warnings and the procedures to follow in	
the event of an accident. Product handling must follow the procedures for good industrial hygiene and safety.	

8. Exposure controls/personnel protection

Personal safeguards		
-Respiratory protection:	None required at normal temperature and under normal conditions. If	
	applicator experiences respiratory discomfort, use an approved organic vapour cartridge respirator.	
-Hand protection:	Use impervious rubber gloves	
-Eye protection:	Use safety glasses or goggles.	
-Skin protection:	Cover exposed skin areas with normal protective clothing.	

9. Physical and Chemical properties

Physical form:	viscous liquid
Colour:	Blue or Gray
Odour:	None
% Volatility	nil
Melting Point (°C):	Not applicable
Boiling Point (°C):	> 200°C
Specific gravity:	1,78
Vapour pressure (mm Hg):	Not applicable
Vapour Density	Not applicable

10. Stability and reactivity

Stability:	Stable product.
Hazardous decomposition products:	May form carbon dioxide, carbon monoxide and phenolic materials
	as products of incomplete combustion.
Conditions to avoid:	Contact with strong oxidizers and acids.
	Uncontrolled reactions with amines and bases.
Hazardous polymerisation:	Will not occur.

11. Toxicological information

FOR THIS PRODUCT See item 3: Hazards identification

12. Ecological information

FOR THIS PRODUCT No information available

13. Disposal considerations

Disposal:

In a safe manner and in accordance with the national or regional measures that are in force. By an approved waste disposal company.

14. Transport information

UN No.	1760
Class	8
Packing Group	III

15. Regulatory information

EEC labelling		
Danger symbols:	Xi	Irritant
R-phrases:	R43	May cause sensitisation by skin contact.
_	R36/38	Irritant to skin and eyes.
S-phrases:	S2	Keep out of the reach of children.
-	S 7	Keep container tightly closed.
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S27	Take off immediately all contaminated clothing.
	S28	After contact with skin, wash immediately with plenty of soap and water.
	S24/25	Avoid contact with skin and eyes.
	S36/37/	39 Wear suitable protective clothing, gloves and eye/face protection.

16. Other Information

Recommended uses & Consult the technical data sheet for detailed information. Restrictions:

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding accuracy of these data or the results obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of material even if reasonable safety procedures are followed. Furthermore, the end user assumes the risk in the use of the material.

 No. of pages
 : 4

 Revision
 : 02

 Version
 : 01/00

 Date
 : 05/2009

TELEPHONE NUMBER FOR EMERGENCY HELP: ++44 (0)77330 16137